



**PLYWOOD**



**PLYWOOD**



[www.durian.in](http://www.durian.in)

# ABOUT US



With over **50** years of experience in the Plywood industry, Durian is one of the undisputed leaders with a plethora of innovative products designed for clients across public and private industries. Our signature plywood products are used extensively in commercial and domestic settings. Durian plywood is affordable yet durable and offer unmatched strength and style.

We provide ideal solutions for personal and office spaces using indigenous technology, that gives our furniture and plywood products a distinctive edge in terms of craft and endurance. The following are the various types of plywood grades available:

- Moisture Resistant
- Boiling Water Resistant
- Boiling water proof
- Blockboard

While our ply is used across all our products, we also provide wholesale quantities to our dealers and distributors, globally.

## Why Buy Durian Plywood?

**2**

Manufacturing  
units

Spread over

**15,000**

sq. mts.

**11**

Storage  
houses

**4**

Decades  
of Experience


**1,086,527**

Satisfied Customers  
can't be wrong



**All**

India  
Delivery

# PROCESS



All our plywoods are created keeping quality at the heart of our processes. We source the most high-quality raw materials, exclusively, to deliver perfection



# PRODUCT



**SUMO**  
PLYWOOD

---

MR Grade Ply | BWR Grade Ply | BWP Grade Ply  
MR Grade Block Board | BWR Grade Block Board



**PRIME**  
PLYWOOD

---

MR Grade Ply | BWR Grade Ply | BWP Grade Ply  
MR Grade Block Board | BWR Grade Block Board



**CASA**  
PLYWOOD

---

BWP Grade Ply



## MR GRADE PLY

### FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ 100 % Gurjan Face
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 8mm, 12mm, 15mm, 18mm.

**STANDARDS:** IS: 303.

**PICKER RATING CHART GRADE SUPREME A\***

**WARRANTY: 7 YEAR**



Borer  
Proof



Termite  
Resistant



100%  
GURJAN  
FACE



Warp/  
Bend  
Resistant



## BWR GRADE PLY

### FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ 100 % Gurjan Face
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC
- ◇ Boiling Water Resistant

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 8mm, 12mm, 15mm, 18mm.

**STANDARDS:** IS: 303

**PICKER RATING CHART GRADE SUPREME B\***

**WARRANTY: 11 YEAR**



Borer  
Proof



Termite  
Resistant



100%  
GURJAN  
FACE



Warp/  
Bend  
Resistant



Boiling  
Water  
Resistant





## **BWP GRADE PLY**

### **FEATURES:**

- ◆ Borer Proof
- ◆ Termite Resistant
- ◆ Takes Weight Upto 213 Tonnes
- ◆ 100 % Gurjan Face
- ◆ Warp/Bend Resistant
- ◆ Ultra Low VOC
- ◆ Boiling waterproof Grade

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 9mm, 12mm, 16mm, 19mm.

**STANDARDS:** IS: 710.

**PICKER RATING CHART GRADE SUPREME C\***

**WARRANTY: 13 YEAR**



**Borer  
Proof**



**Termite  
Resistant**



**100%  
GURJAN  
FACE**



**Warp/  
Bend  
Resistant**




**Boiling  
waterproof  
Grade**



CML No. 7700152815



\*Conditions Apply



## MR GRADE BLOCK BOARD

### FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ 100 % Gurjan Face
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659

PICKER RATING CHART GRADE SUPREME D\*

WARRANTY: 9 YEAR

100% PINE WOOD



Borer  
Proof



Termite  
Resistant



100%  
GURJAN  
FACE



Warp/  
Bend  
Resistant



## BWP GRADE BLOCK BOARD

### FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ 100 % Gurjan Face
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC
- ◇ Boiling waterproof Grade

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659

PICKER RATING CHART GRADE SUPREME E\*

WARRANTY: 11 YEAR

100% PINE WOOD



Borer  
Proof



Termite  
Resistant



100%  
GURJAN  
FACE



Warp/  
Bend  
Resistant



Boiling  
waterproof  
Grade





## MR GRADE PLY

### FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Warp/Bend Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 8mm, 12mm, 15mm, 18mm.

**STANDARDS:** IS: 303.

**PICKER RATING CHART GRADE VERTEX A\***

**WARRANTY: 9 YEAR**



Borer  
Proof



100%  
Hardwood  
Made



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



Warp/  
Bend  
Resistant



## BWR GRADE PLY

### FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ Boiling Water Resistant
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Warp/Bend Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 8mm, 12mm, 15mm, 18mm.

**STANDARDS:** IS: 303

**PICKER RATING CHART GRADE VERTEX B\***

**WARRANTY: 13 YEAR**



Borer  
Proof



100%  
Hardwood  
Made



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



Boiling  
Water  
Resistant



Warp/  
Bend  
Resistant







## **BWP GRADE PLY**

### **FEATURES:**

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ Boiling waterproof Grade
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Warp/Bend Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 9mm, 12mm, 16mm, 19mm.

**STANDARDS:** IS: 710.

**PICKER RATING CHART GRADE VERTEX C\***

**WARRANTY: 15 YEAR**



Borer  
Proof



100%  
Hardwood  
Made



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



Boiling  
waterproof  
Grade




Warp/  
Bend  
Resistant



IS : 710  
C/M/L No. 7700152815



15  
YEAR  
WARRANTY  
Conditions Apply



## MR GRADE BLOCK BOARD

### FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ 100% Imported Pine
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

**THICKNESS:** 19mm, 25mm.

**STANDARDS:** IS: 1659.

**PICKER RATING CHART GRADE VERTEX D\***

**WARRANTY: 11 YEAR**

**100% PINE WOOD**



Borer  
Proof



100%  
IMPORTED  
PINE



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



## BWP GRADE BLOCK BOARD

### FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ 100% Imported Pine
- ◇ Termite Resistant
- ◇ Boiling waterproof Grade
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

**THICKNESS:** 19mm, 25mm.

**STANDARDS:** IS: 1659.

**PICKER RATING CHART GRADE VERTEX E\***

**WARRANTY: 15 YEAR**

**100% PINE WOOD**



Borer  
Proof



100%  
IMPORTED  
PINE



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



Boiling  
waterproof  
Grade





## **BWP GRADE PLY**

### **FEATURES:**

- ◇ Borer Proof
- ◇ High Density
- ◇ 100 % Gurjan Face
- ◇ Boiling waterproof Grade
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Warp/Bend Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

**SIZE:** 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

**THICKNESS:** 6mm, 9mm, 12mm, 16mm, 19mm.

**STANDARDS:** IS: 710.

**PICKER RATING CHART GRADE VIGOUR A\***

**WARRANTY: 25 YEAR**



Borer  
Proof



100%  
Hardwood  
Made



High  
Density



Termite  
Resistant



100%  
GURJAN  
FACE



Boiling  
waterproof  
Grade



Warp/  
Bend  
Resistant



CML No. 7700152815



Conditions Apply

[illegible]

# HUMID ENVIRONMENT

Environment Condition (Humid ENVIRONMENT)	Durian Prime MR Grade Ply	Durian Prime BWR Grade Ply	Durian Prime BWP Grade Ply	Durian Prime MR Grade Block Board	Durian Prime BWP Grade Block Board	Durian Sumo MR Grade Ply	Durian Sumo BWR Grade Ply	Durian Sumo BWP Grade Ply	Durian Sumo MR Grade Block Board	Durian Sumo BWP Grade Block Board	Durian Casa BWP Grade Ply
Suggested Name	VERTEX A1	VERTEX B1	VERTEX C1	VERTEX D1	VERTEX E1	SUPREME A1	SUPREME B1	SUPREME C1	SUPREME D1	SUPREME E1	VIGOUR A1
Opposite Side of the Wall is a wet Area	No	Yes	No	No	No	No	Yes	No	No	No	No
Dry Wall	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Environment Friendly	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC
Warranty Durability	Long Life	Long Life	Long Life	Long Life	Long Life	Normal Life	Normal Life	Normal Life	Normal Life	Normal Life	Extra Long Life
Furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	Yes	No
Wardrobe/ Storage Carcass/	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Wardrobe/ Storage Shutter	Yes	No	No	Yes	No	Yes	No	No	Yes	Yes	No
Shelves	Yes	No	No	Yes	No	Yes	No	No	No	No	No
Bed + Sidetable + Dressing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Kitchen Cabinets in Wet Area	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Cabinet over the counter	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Kitchen Cabinet Under the counter	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Shelves	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Panelling on wall	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Partition	Yes	No	No	Yes	No	Yes	No	No	No	No	No
Shipping Crates	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Garden furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Benches	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Celing	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Staircase	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Door	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Door Frame	Yes	No	No	No	No	Yes	NO	No	No	No	No

# DRY ENVIRONMENT

Environment Condition (Dry ENVIRONMENT)	Durian Prime MR Grade Ply	Durian Prime BWR Grade Ply	Durian Prime BWP Grade Ply	Durian Prime MR Grade Block Board	Durian Prime BWP Grade Block Board	Durian Sumo MR Grade Ply	Durian Sumo BWR Grade Ply	Durian Sumo BWP Grade Ply	Durian Sumo MR Grade Block Board	Durian Sumo BWP Grade Block Board	Durian Casa BWP Grade Ply
Suggested Name	VERTEX A2	VERTEX B2	VERTEX C2	VERTEX D2	VERTEX E2	SUPREME A2	SUPREME B2	SUPREME C2	SUPREME D2	SUPREME E2	VIGOUR A2
Opposite Side of the Wall is a wet Area	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Dry Wall	Yes	No	No	Yes	No	No	No	No	Yes	No	No
Environment Friendly	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC
Warranty Durability	Long Life	Long Life	Long Life	Long Life	Long Life	Normal Life	Normal Life	Normal Life	Normal Life	Normal Life	Extra Long Life
Furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Wardrobe/ Storage Carcass/	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Wardrobe/ Storage Shutter	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Shelves	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Bed + Sidetable + Dressing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Kitchen Cabinets in Wet Area	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Cabinet over the counter	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Kitchen Cabinet Under the counter	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Shelves	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Panelling on wall	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Partition	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Shipping Crates	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Garden furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Benches	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Celing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Staircase	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Door	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Door Frame	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No

# CERTIFICATION



The IGBC rating systems are voluntary, consensus based, market-driven programmes. The rating systems are based on the five elements of the nature.



ISO 14001: 2015-ISO is an independent, non-governmental international organization with a membership of 162 national standards bodies.



FSC forest management certification confirms that the forest is being managed in a way that preserves biological diversity and benefits the lives of local people and workers, while ensuring it sustains economic viability.



For companies at the end of the supply chain, such as brand owners and retailers, PEFC certification offers many benefits: from highlighting sustainable procurement choices to meeting demanding legislative and market requirements.



The ISI mark is a standards-compliance mark for industrial products in India since 1955. The mark certifies that a product conforms to an Indian standard developed by the Bureau of Indian Standards, the national standards body of India.



Sedex is one of the world's leading ethical trade service providers, working to improve working conditions in global supply chains. We provide practical tools, services and a community network to help companies improve their responsible and sustainable business practices, and source responsibly.



GREENGUARD Certification Program. The GREENGUARD Certification Program gives assurance that products designed for use in indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors.

## PLYWOOD RANGE:

- Prime Plywood
- Prime Block Board
- Sumo Plywood
- Sumo Block Board
- Casa Plywood

## OTHER PRODUCT RANGE:

**DOORS** | **VENEER** | **PLYWOOD**

## AWARDS & RECOGNITION:



### Promising Brands

Acknowledged by The Economic Times as India's Most Promising Brand for 2019



### Power of trust

Awarded the Power of Trust by the TRA in 2018 for our dedicated efforts in building long term customer relationships



### Power Brand of the Year

Chosen by the Indian Consumer as the Power Brand of India in 2011



### CEO Insights

Recognised as one of the 25 most promising companies in 2018



# OUR NETWORK



- LAMINATES
- PLYWOOD
- DOOR
- VENEER
- SHOWROOM



# PLYWOOD

## **DURIAN INDUSTRIES LIMITED**

Corporate Office: 401, The Summit, Hanuman Road,  
W.E. Highway, Vile Parle (E), Mumbai - 400 057, India

Email: [customersupport@durian.in](mailto:customersupport@durian.in)

**[www.durian.in](http://www.durian.in)**

**☎ 1800 22 3242**

---